


BOGOMOLETS NATIONAL MEDICAL UNIVERSITY


**INSTRUCTION FOR PREPARATION
FOR LICENSE EXAMINATIONS
"KROK 1. PHARMACY"
AND
" KROK 1. MEDICINE"
FOR FOREIGN ENGLISH STUDENTS
OF THE BOGOMOLETS NATIONAL MEDICAL UNIVERSITY**

Kiev 2017

Enter the address <https://step.nmu.ua/>




Enter your login and password accordingly to the specialty:




<i>Specialty</i>	<i>Login</i>	<i>Password</i>
MEDICINE	1meng	1mengtest#
PHARMACY	1feng	1fengtest#

Technical Support Contacts:
<https://acadreg.nmu.ua/html/teh.html>

Choose a category **KROK 1:**




Choose **PREPARATION FOR KROK 1 FOR FOREIGN ENGLISH-SPEAKING STUDENTS:**



Technical Support Contacts:
<https://acadreg.nmu.ua/html/teh.html>

Choose your specialty:




Select the booklet for which you want to test and the corresponding number of questions (200, 100 or 50) from it.

Depending on the number of test questions, the test has a time limit:

200 questions - 200 minutes (3 hours 20 minutes)

100 questions - 100 minutes (1 hour 40 minutes)

50 questions - 50 minutes



Technical Support Contacts:

<https://acadreg.nmu.ua/html/teh.html>

Each test question has 5 answers, of which only one is correct. To select the correct answer, click on the circle to the left of it.

To the left of the test question is navigation on the test. To go to the question you need, click on the corresponding rectangle with the question number.

At the end of the test, you will see the number of points scored by you, and which answer is correct.

The screenshot displays a quiz interface. At the top, a table shows the quiz status: Started on Thursday, 8 June 2017, 8:00 PM; State Finished; Completed on Thursday, 8 June 2017, 8:02 PM; Time taken 1 min 38 secs; Grade 0.00 out of 50.00 (0%).

Below this, the question details are shown:

Question 1
Incorrect
Mark 0.00 out of 1.00
Flag question

A man who was bitten by the unknown dog applied to the surgeon. Wide ragged woundes were localized on the face. What curative-prophylactic aid should be given to prevent rabies?

Select one:

- a. Immediate injection of DPT(Diphtheria, Pertusis, Tetanus) vaccine
- b. Start immunisation with rabies vaccine
- c. Prescribe combined antibiotic therapy ✖
- d. Immediately inject normal gamma globulin
- e. Hospitalize the patient and keep under the doctor's supervision

The correct answer is: Start immunisation with rabies vaccine

On the right side, there is a 'Quiz navigation' section with a grid of 35 numbered buttons (1-35). Buttons 1 through 10 are highlighted in red, indicating they have been visited or are the current question.